





(Bottom View)

# ERI C € ĽK

#### Features

- Quarter-brick(2.28" x 1.45" x 0.5") with industrial standard pin-out
- Compliance with railway standard EN50155
- · 3:1(60~160Vdc) wide input range
- Wide operating temperature range -40 ~ +90°C
- No minimum load required
- Full encapsulated
- Protections: Short circuit (Continuous) / Overload / Over temperature / Over voltage / Input under voltage lockout
- 3KVAC I/O isolation
- · Remote ON/OFF control and remote sense
- Triming output(±10%)
- · 3 years warranty











### Applications

- · Bus, tram, metro or railway system
- Telecom/datacom system
- · Wireless network
- · Industrial control facility
- Instrument
- Analyzer
- Highly vibrating, heavily dusty, exteremely low or high temperature harsh environment


#### GTIN CODE

MW Search: https://www.meanwell.com/serviceGTIN.aspx

### Description

RQB150W3 series is 150W module type DC-DC reliable railway with quarter brick package. It features international standard pins, a high efficiency up to 89%, wide working temperature range -40~+90°C, 3KVAC I/P-O/P isolation voltage, meet EN50155 with external circuits, continuous-mode short circuit protection, etc. The models input for 60~160VDC 3:1 wide input range, and various output voltage, 12V/24V/48V/54V for single output, which are suitable for railway, trams, buses and also can be used in the harsh environment with high vibration, high dust, extremely low or high temperature, etc.

### Model Encoding






MODEL SELECTION TABLE									
	I	ОИТ	PUT						
ORDER NO.	INPUT VOLTAGE	INPUT CURRENT		OUTPUT	OUTPUT	EFFICIENCY (Typ.)	CAPACITOR LOAD (MAX.)		
	(RANGE)	NO LOAD	FULL LOAD	VOLTAGE	CURRENT	(1361)	(MAX.)		
RQB150W3-110S12	Nominal 72V,96V,110V (60 ~ 160V)	10mA	1.54A	12V	12.5A	88.5%	5000µF		
RQB150W3-110S24		10mA	1.52A	24V	6.25A	89%	2000µF		
RQB150W3-110S48		10mA	1.54A	48V	3.125A	88%	1000µF		
RQB150W3-110S54		10mA	1.55A	54V	2.778A	88%	1000µF		



<b>SPECIFICAT</b>	TION									
	VOLTAGE RANGE	60 ~ 160Vdc								
	SURGE VOLTAGE (0.1s max.)	200Vdc								
INPUT	FILTER	Pi type								
• .	PROTECTION	4A/250Vac time delay fuse	a							
	SETUP TIME	300ms max. (100% Load at Nominal Vin)								
	VOLTAGE ACCURACY	±1.0%	21110111111111	v iii)						
	RATED POWER	150W								
	_	12V/24V=240mVp-p, 48V/54V=480mVp-p								
	LINE REGULATION Note.3	1.17								
OUTPUT	LOAD REGULATION Note.4									
	SWITCHING FREQUENCY (Typ.)									
	EXTERNAL TRIM ADJ. RANGE (Typ.)									
	HOLD UP TIME		工10% Please refer to page 5 Hold up time							
	SHORT CIRCUIT	Protection type : Continuo	<u> </u>	tic recovery						
	SHOKT SIKOSH	120 ~ 200% rated output		ille recovery						
	OVERLOAD		•	ally after fault condition is re	moved					
		110 ~ 150% rated output		any arter radic condition is re	moved					
PROTECTION	OVER VOLTAGE	Protection type : Shutdown	<u> </u>							
	OVER TEMPERATURE	71	,	automatically after fault cond	lition is rer	moved				
		Start-up voltage	59V	actornationly arter raunt conta	31110111131101	10000				
	UNDER VOLTAGE LOCKOUT	Shutdown voltage	57V							
FUNCTION	REMOTE CONTROL	Power ON: R.C ~ -Vin > 3 Power OFF: R.C ~ -Vin < 1	3 ~ 12Vdc o	•						
	COOLING	Free-air convection								
	WORKING TEMP.	-40 ~ +90°C (Refer to "De	rating Curv	e")						
	CASE TEMPERATURE	+115°C max.								
	WORKING HUMIDITY	5% ~ 90% RH non-condensing								
ENVIRONMENT	STORAGE TEMP., HUMIDITY	-55 ~ +125°C, 10 ~ 95% RH non-condensing								
	TEMP. COEFFICIENT	0.05% / °C (0 ~ 65°C)								
	SOLDERING TEMPERATURE	1.5mm from case of 3 ~ 5sec./260°C max.								
	VIBRATION	EN61373								
	OPERATING ALTITUDE	4000 meters								
	SAFETY STANDARDS	LVD IEC62368-1, EAC TP	TC 020/20	11 approved						
	WITHSTAND VOLTAGE	I/P-O/P:3KVAC I/P-CASE:1.5KVAC								
	ISOLATION RESISTANCE	I/P-O/P:1000M Ohms / 500VDC / 25°C / 70% RH non-condensing								
	ISOLATION CAPACITANCE (Typ.)	3000pF								
		Parameter		Standard		Test Level / Note				
	EMC EMISSION	Conducted		BS EN/EN55032		Class A/B with external components				
		Radiated		BS EN/EN55032		Class A/B with external components				
SAFETY &		Parameter		Standard		Test Level / Note				
EMC		ESD		BS EN/EN61000-4-2		Level 3, ±6KV contact				
( Note.6)		Radiated Susceptibility		BS EN/EN61000-4-3		Level 3, 10V/m				
	EMC IMMUNITY	EFT/Burest(Note.5)		BS EN/EN61000-4-4		Level 3, On power input port, $\pm 2 \text{KV}$ external input capacitor required				
		Surge(Note.5)		BS EN/EN61000-4-5		Level 3, On power input port, $\pm  2 \text{KV}$ external input capacitor required				
		Conducted		BS EN/EN61000-4-6		Level 3, 10V/m(r.m.s.)				
		Magnetic Field		BS EN/EN61000-4-8 Level 4, 30A/m						
	RAILWAY STANDARD			ck & vibration, EN50121-3-2	for EMC					
	MTBF	200Khrs MIL-HDBK-217	, ,							
OTHERS	DIMENSION (L*W*H)	57.9*36.8*12.7mm (2.28*		•						
	CASE MATERIAL	Aluminum base plate with	•							
	PACKING 70g; 11pcs/per tube, 132pcs/12 tube/per carton  1.All parameters are specified at normal input(110Vdc), rated load, 25°C 70% RH ambient.									
NOTE	2.Ripple & noise are mea     3.Line regulation is measu     4.Load regulation is measu     5.External input capacitor     6.The final equipment mu	sured at 20MHz by using ured from low line to high sured from 0% to 100% ratequired 100µF/220V x 3 st be re-confirm that it still component power supplies	a 12" twist line at rate ited load. meet EMC s."(as availa	ed pair terminated with a 0 d load.  C directives. For guidance cable on http://www.meanwe	on how to	perform these EMC tests, please				

#### **■** External Output Trimming

In order to trim the voltage up or down, one needs to connect the trim resistor either between the trim pin and -Vout for trim\_up or between trim pin and +Vout for trim\_down. The output voltage trim range is -10% to +10%. This is shown in Figures 1 and 2:






Figure 1. Trim\_up Voltage Setup

Figure 2. Trim\_down Voltage Setup

#### 1. The value of Rtrim\_up defined as:

$$A = \frac{V_{ref}}{V_{o'}-V_{ref}} \times R1$$

$$Rtrim_up = \frac{AR2}{R2-A} - R3$$

For example, to trim\_up the output voltage of 12V module (RQB150W3-110S12) by 10% to 13.2V, Rtrim\_up is calculated as follows:

$$V_{0}' = 13.2V$$

$$V_{ref} = 2.5V$$

R3 = 
$$68K\Omega$$

$$A = \frac{V_{ref}}{V_{o}' - V_{ref}} \times R1$$

$$= \frac{2.5}{13.2 - 2.5} \times 38 = 8.878$$

$$Rtrim\_up = \frac{AR2}{R2-A} - R3$$
$$= \frac{8.878 \times 10}{10 - 8.878} - 68$$

= 11.126ΚΩ

Table 1 - Trim\_up and Trim\_down Resistor Values

Model Number	Vo,nom (V)	Vref (V)	R1 (KΩ)	R2 (KΩ)	R3 (KΩ)
RQB150W3-110S12	12	2.5	38	10	68
RQB150W3-110S24	24	2.5	86	10	76.8
RQB150W3-110S48	48	2.5	182	10	80.6
RQB150W3-110S54	54	2.5	206.1	10	82

#### Note:

- $1. Rtrim\_up, \ Rtrim\_down \ is \ mean \ trim \ resistor, \ please \ check \ the \ formula.$
- 2.A & B: user define parameter, no actual meanings.
- $3. Vo' \ is \ target \ trim \ voltage.$
- 4. Value for R1, R2, R3 and Vref refer to above table.

#### 2. The value of Rtrim\_down defined as:

$$A = \frac{V_0' - V_{ref}}{V_{ref}} \times R2$$

$$Rtrim\_down = \frac{AR1}{R1-A} - R3$$

For example, to trim\_down the output voltage of 12V module (RQB150W3-110S12) by 10% to 10.8V, Rtrim\_down is calculated as follows:

Vo,nom = 12V

$$V_{0}' = 10.8V$$

R1 = 
$$38$$
 KΩ  
R2 =  $10$  KΩ

$$A = \frac{Vo'-V_{ref}}{V_{ref}} \times R2$$

$$= \frac{10.8 - 2.5}{2.5} \times 10 = 3.32 \times 10 = 33.2$$

$$Rtrim\_down = \frac{AR1}{R1-A} - R3$$

$$= \frac{33.2 \times 38}{38 - 33.2} - 68$$

=  $194.83K\Omega$ 



### ■ Hold-up Time

During the transition of different power source, the electric power on the train become unstable in a short time. Such as a sudden voltage drop or a short-term power failure. Under this situation, hold-up time circuit is suitable for this situation.

As Figure 3 shows, hold-up time circuit comprises R1, D1 and Chold. The capacity of Chold decides the hold-up time during interruption of input power.

And Figure 4 shows the table for Chold with different input voltage. For example, if input voltage is 110V, and output load is full load. The Chold need 470µF

During start up, R1 endures a high pulse power, and should be selected carefully. The power is related to Vbus and Chold. We recommend to use 250/10W resistor.






Table 2 – Cap hold table (Hold up time)


1 = 1 1 ( 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								
Nominal Vin	96V	110V						
10ms(S2)	680µF	470μF						
20ms(S3)	1200µF	820µF						
30ms(C2)	1800µF	1200µF						

Figure 3 Hold-Up Time Circuit


#### ■ Derating Curve














Note 1. The de-rating curve was measured at 110Vdc input with natural convection.

Note 2. In order to meet higher "derating curve" requirements, the heat dissipation can be increased by increasing the air flow (LFM) to meet the requirements.

The recommended thermal resistance formula is as follows:



The derating curve of the converter's output load with the ambient temperature. Above derating curve shows the operating ambient temperature range is from -40°C to 100°C. The output load should derating when ambient temperature over -25°C. And the environmental convection is below 20LFM. When the ambient temperature over -25°C, RQB150W3 should derating to certain load. For example, if the ambient temperature is about 45°C, the RQB150W3 output load should derating to 50% of full load.

The thermal resistor can be calculated by below formula. Take RQB150W3 as an example, which operating at nominal voltage and output load at full load. And the power dissipation (Pd)

Pd = Pin - Po = 
$$\frac{\text{Po}(1-\text{eff})}{\text{eff}}$$

Pd = 12\*12.5\*(1-0.87)/0.87 = 22.4W

So, the power dissipation (Pd) is about 22.4W at ambient temperature 0°C. The thermal resistance (Rca) from case to ambience is 5.75°C/W).


The maximum case temperature rise is  $\Delta T = Pd * Rca = 22.4W * 5.75 (°C/W) = 128.8°C$ 

The maximum case temperature is Ta = Tc -  $\Delta$ T = 105°C -128.8°C = -23.8°C

So, the Ta for full load is around -25°C

#### **Power Derating Curve**

Power module can operate in variety of thermal environments. However, sufficient cooling should be provided to ensure the reliable operation of the unit. Heat can be removed by conduction, convection, and radiation to the surrounding environment. Figure 4 is the PCB layout, which to measure RQB150W3 thermal performed, the dimension is 137 \* 88 \* 1.6mm, 2 OZ. There copper can help RQB150W3 to conduct heat through the body to the PCB.






Figure 4





### ■ Mechanical Specification


- All dimensions in mm(inch)
- Tolerance:  $x.x\pm0.5$ mm ( $x.x\pm0.02$ ")

 $x.xx \pm 0.25mm(x.xx \pm 0.01")$ 

• Pin size is:1.x  $\pm$ 0.1mm (0.04 "  $\pm$ 0.005")








### ■ Plug Assignment


Pin-Out								
Pin No.	Output	Pin No.	Output					
1	+Vin	5	RS-					
2	Remote ON/OFF	6	Trim					
3	-Vin	7	RS+					
4	-Vout	8	+Vout					






### ■ EMC Suggestion Circuit

💥 EMI Test standard: BS EN/EN55032 Class A with external circuit. Below figure shows the suggestion circuit for Class A. (Test Condition: Input Voltage: 110Vdc, Output Load: Full Load)



Model No.	BS EN/EN55032 Class A									
woder No.	C1,C4	C2,C3,C5,C6	L1	CY1,CY2	CY3,CY4,CY5,CY6	C7				
RQB150W3-110S12	100μF		2.0mH	1000pF	1200pF*4	4.7μFx6				
RQB150W3-110S24		0.68µF								
RQB150W3-110S48	220µF				4000 545					
RQB150W3-110S54	50W3-110S54				1200pF*5					

💥 EMI Test standard: BS EN/EN55032 Class B with external circuit. Below figure shows the suggestion circuit for Class B. (Test Condition: Input Voltage: 110Vdc, Output Load: Full Load)



Model No.	BS EN/EN55032 Class B										
	C1,C2,C7	C3,C4,C5,C6,C8,C9	L1,L2	L3,L4	CY1	CY2	CY3,CY4,CY5,CY6	CY7,CY8	C10		
RQB150W3-110S12	100µF						2200pF*4	470pF			
RQB150W3-110S24		100µF 0.68µF 2.0mH	4.7µH	2200pF	1000pF		NA	4.7µFx6			
RQB150W3-110S48			υ.υομι	2.011111	2.0π1 4.7μπ	2200pi	220001	2200pF*6	100pF	4.7μι-χο	
RQB150W3-110S54									тоорг		



## ■ Packing

Standard Tube Packing	MPQ Per Tube (PCS)	One Tube G.W.	Max. Q'TY/ Carton(PCS)	One Carton G.W.
Unit : mm  Tube Nails  Tube pattern  Tube pattern  CARTON L545 x W145 x H220	11	900g	132	11.14Kg

### **■** Installation Manual

Please refer to : http://www.meanwell.com/manual.html